



8(4): 26-32, 2021; Article no.APRJ.76069 ISSN: 2581-9992

Perceived Profitability of Agroforestry in Rural Multan of Pakistan

Muhammad Zubair^{a*}, Syed Muhammad Atif Tasleem^a and Syed Bilal Hussain^b

 ^a Department of Forestry and Range Management Faculty of Agricultural Science and Technology Bahuddin Zakariya University, Pakistan.
^b Institute of Molecular Biology and Biotechnology, Bahuddin Zakariya University Multan, Pakistan, Pakistan.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/APRJ/2021/v8i430182 <u>Editor(s):</u> (1) Shri Kant Tripathi, Mizoram University, India, <u>Reviewers:</u> (1) M. Nuri ÖNER, Çankırı karatekin university, Turkey, (2) Wubalem Gobie, Debre Markos University, Ethiopia. Complete Peer review History: <u>https://www.sdiarticle4.com/review-history/76069</u>

Original Research Article

Received 30 August 2021 Accepted 10 November 2021 Published 13 November 2021

ABSTRACT

Agroforestry remained a profitable venture across the globe if managed well spatially and temporarily. Farmlands are viable option to practice agroforestry in Pakistan for sustaining farmers' livelihoods as well as to provide products and services for ever increasing population. This study focusses on how agroforestry is being perceived as profitable enterprise by the farmers in Multan, Punjab Pakistan. Rural areas of Multan were selected for this study and 200 farmers were selected randomly from 10 villages across 02 union councils using multi-stage sampling procedure. The results revealed that agroforestry remained the prime land use system as reported by the farmers (99%) belonging to agropastoral and agroforestry practice. Moreover, agroforestry perceived as high-income system providing variety of product (increased crop and fodder production, variety of products and income) and services (Carbon sequestration, climate amelioration, soil conservation). The study concluded the need for public-private partnership for the promotion of agroforestry in the region.

Keywords: Agroforestry; rural livelihood; income; agroforestry profitability.

1. INTRODUCTION

Pakistan is predominantly an agrarian society having 63% of people are residing in rural areas and are directly or indirectly engaged with agriculture enterprise [1]. Besides, dependence on grains, it is also paramount to meet population need for wood-based products and services. Nevertheless, the country is severely facing problems of low fuel, fiber, and fodder resources [2,3]. Since state land is unable to cope and pace with increasing demand and environmental problems, farmlands remained a feasible solution to grow trees [4,5]. Agroforestry is, therefore, viable alternative to sustain and conserve biodiversity, avert land degradation, provide range of products and services for livelihoods, and mitigate environment in providing distinctive openings for growing biodiversity, averting land degradation, and improving poverty, particularly in developing countries [6,7, 8,9,10].

Agroforestry systems practiced across the world have sound diversification capability to accrue socio-economic along with adaptability and mitigation of environmental challenges. These benefits are spread across all nations and communities [11]. This can be stemmed from the concept of agroforestry entails growing trees along with agricultural crops and or animals on the same piece of land in temporal and spatial combinations [12]. Thus, not only the trees and crops that yield numerous benefits of wood and wood-based product and grains, fiber and cash crops but also sustain livestock components in a coordinated environment, thus additional benefits of dairy products remained helpful in preventing malnutrition and ensuring food security [13]. This diversified system has protection if one system is poorly performed and support each other in terms of increased soil productivity, product diversification, environmental remediation, and few economic losses [14,15]. These systems at most time rewards farmer with increased profits and optimize the production of land [16]. Nevertheless, the occupation of soil for varied benefits also prevents erosion and crop losses and thereby improves water yield by preventing sedimentation into terrestrial habitats [17].

In developing countries due to fragmented and small land holdings, premiums from agricultural production is low, there is ample opportunities to incorporate agroforestry practices on the same piece of land to become bigger producer of the future. This, however, it needs the popularity and legal framework to avoid historical differences between the two land uses i.e., agriculture and forestry to allow plausible land use practices [18]. Along with the economic aspect of agroforestry it provides interesting contribution for solving food crisis and energy crisis.

Around the world, agroforestry is regarded as significant enterprise in inducing profitability. [19] reported that in Ethiopia, agroforestry is a diversified source of oncome and accrue better economic returns than food crop production [19]. investigated agroforestry as better suited for environmental rehabilitation and ensures sustainability of agricultural development [20]. advocated that agroforestry is the land use supplying diversified products and services. Besides sustainability of food and fiber production, agroforestry has the potential to safeguard environmental problems of agriculture [21]. Therefore, perception of profitability is a prime objective of opting for agroforestry [22].

Thus, agroforestry is a profitable venture and has wider potential of adoptability, however, uptake of agroforestry invitation is low amid numerous responsible factors [23]. The physical features of land, the intention to grow profitable crops, uncertainty of market [14,24] and choice of species and attitudes and perceptions of the farmers remained prime impediments in the adoption of agroforestry practices. Nonetheless, the profitability aspect of the technology is attractive and even compel farmers to go for integrated- tree crop land use system. Thus, perception of profitability across different land use systems and ecosystems would make this resource more popular if supported by the socioeconomic and technological innovations [2]. In view of the above, Present study aims to determine the perception among various land holders regarding the Agroforestry profitability.

2. MATERIALS AND METHODS

2.1 Study Site

Multan is an important and biggest city of Southern Punjab situated on the bank of river Chenab. It is also called as city of Saints. The temperature is very harsh in the summer and severe cold in winter. In terms of population, Multan is the 6th largest city in Pakistan. The main crop are cotton, sugarcane and wheat, while native trees are Veschelianilotoca, Salvador oloeides, Tamarixaphylla, Prosopis cineraria, Capparisaphylla etc.

2.2 Research Strategy and Sampling

The study unfolds important information about perceived profitability of agroforestry using survey methodology. Mixed approach using both qualitative and quantitative information was employed using a well-structured questionnaire administered on randomly selected population. Based on time, cost and accessibility, Multistage sampling procedure has been adopted. In the 1st stage out of all UCs, 02 UCs (Union Councils) were randomly selected in rural areas of Multan. In the 2nd stage villages (10) has been selected from 02 UCs. In the 3rd and final stage of sampling, 10 farmers per village were randomly chosen to make a random sample of 200 respondents.

2.3 Instrument and Analysis

The major instrument that was used for conducting this study was a mixed questionnaire having wealth of information pertaining to closed and open-ended questions. The respondents were approached at their convenience and face to face interviews were held. Questionnaire was pre-tested to check the order of questions, difficulty level and rephrase ethe language errors. The respondents involved in pre-testing were not made part of final sampled population. The collected data was analyzed using IBM SPSS 21 for descriptive statistics.

3. RESULTS AND DISCUSSION

3.1 Land Use Pattern

Regarding land holding 60% of the sampled population is holding less than 20 acres of land whilst remaining 40% are having more than 40 acres of land. The low land holdings made farmers intention to go for cash crops especially cotton and sugarcane. It is in line with a study that showed that in these regions most of the households have family lands, that are then divided equally among the family members thus people receiving little pieces of lands [9,25]. The study also revealed that major land use (51%) remained Agropastoral wherein agricultural crop residues have been used as fodder to raise animals, however, agroforestry has been practiced by a major chunk of sampled population (49%). This finding corroborates evidence from a study that observed that people in Pakistan are now showing signs of accepting agroforestry as better extension programs and awareness programs regarding its market and benefits are being rigorously conducted [26] (Table 1).

3.2 Agroforestry Status

The people using agroforestry were then asked about the system of agroforestry that they were practicing. And the maximum respondents answered that they were using boundary plantation system (80%) in which trees were grown on the margins of the crop land. This is in line with a study in a Pakistan which concluded that most people were practicing the same method [27,28]. There were also only 10% of the respondents having mixed trees and crops on their farms (Table 2). It was observed that majority of respondent shaving more than 200 belonging to various tees species on their farm whilst 45% of the respondents were having less than 50 trees showing promising future of agroforestry wherein farmers are willing to grow and retain trees shows a strong affection and acceptance towards agroforestry [29].

3.3 Perceived Profitability of Agroforestry

When farmers were asked to report what benefits they achieve while growing threes on their farms, responses are depicted in Fig. 1. Most of the respondents (30%) rated attainment of variety of products from growing trees is the biggest perceived advantage followed by increase share of income (28%). Obviously, products obtained from trees after being held for domestic consumption could easily be sold in markets for premiums. About 20% people reported that after adopting agroforestry practices they have seen an increased crop production in their farmlands. This may be due to planting leguminous trees around their crops. About 18% of the interviewed population responded that by planting trees increased their fodder production thus utilizing them would entail better livestock rearing and ultimately attainment of products and income from livestock. The returns from agroforestry are well reported to support this study findings [30,31].

3.4 Perceived Services from Agroforestry

When respondents were asked about the services that receive from agroforestry, majority

Zubair et al.; APRJ, 8(4): 26-32, 2021; Article no.APRJ.76069

of respondents (40%) followed by 24% reported better environment because of growing trees. Respondents also weight climate mitigation facility by the trees as reported by 20% of the sampled population while 16% farmers reported benefit of trees reflected from increasing soil fertility (Fig2). Similar findings were reported by [32] that these are pivotal in sequestering carbon, rehabilitating land, and generating income thus giving better lifestyle to their families [32]. Present study measured how agroforestry perceived as profitable venture in that it provides variety of products and services and increase farmer premium by diversification. Similar findings are in support of this research, for instance, [33,34] evidenced that agroforestry is profitable in terms of increasing agricultural production well environmental as as amelioration. Besides attainment of food and fiber, agroforestry remained instrumental in providing ecosystem services, nutrient recycling, and carbon sequestration [35,36].

Table 1. Land use pattern of the respondents

Variable	Categories	Percentage of Respondents
Land Holding Size	<20 acre	60
	> 40 Acre	40
Land usage	Agropastoral	51
C C	Agroforestry	49
Tenancy Status	Tenancy	25
-	Owner cum Tenant	65

Table 2. Agroforestry Status of the region

Variable	Categories	Percentage of respondents
Agroforestry System	Boundary plantation	80
Practiced	Alley plantation	2
	Mixed plantation	12
Avg num of trees in the	<50	45
farmlands	>200	65




Fig. 1. Perceived income from agroforestry




Fig. 2. Perceived Services from Agroforestry

4. CONCLUSION

The study concludes that agroforestry is a viable alternative to increase income and sustain livelihoods of farming community in rural Multan. The production of cash crops recommended in the area by motivating farmers with selected native species by growing trees on the land that would promote the crop yields as an additional handsome benefit to the farmers. Nonetheless, there is need to increase this treasurer through well-coordinated public- private sector campaigns.

CONSENT

As per international standard or university standard, Participants' written consent has been collected and preserved by the author(s).

ETHICAL APPROVAL

It is not applicable.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Nasir GM, Khaliq A, AlHewairi MS. Family planning and reproductive health commodities: mapping the procurement process in different areas of Islamabad. Annals of PIMS-Shaheed Zulfiqar Ali Bhutto Medical University. 2018;14(1):31-36.

- Irshad M, Khan A, Inoue M, Ashraf M, Sher H. Identifying factors affecting agroforestry system in Swat, Pakistan. African Journal of Agricultural Research. 2011;6(11):2586-2593.
- Shahbaz B, Ali T, Suleri AQ. A critical analysis of forest policies of Pakistan: implications for sustainable livelihoods. Mitigation and Adaptation Strategies for Global Change. 2007;12(4): 441-453.
- Bhutto AW, Bazmi AA, Zahedi G. Greener energy: Issues and challenges for Pakistan—Biomass energy prospective. Renewable and Sustainable Energy Reviews. 2011;15(6):3207-3219.
- 5. Ali A. Forest-based livelihoods, income, and poverty: Empirical evidence from the Himalayan region of rural Pakistan. Journal of Rural Studies. 2018;57:44-54.
- Farooq TH, Nawaz MF, Khan MW, Gilani MM, Buajan S, Iftikhar J, Wu P. Potentials of agroforestry and constraints faced by the farmers in its adoption in District Nankana Sahib, Pakistan. Int. J. Dev. Sustain. 2017;6:586-593.
- Kang BT, Akinnifesi FK. Agroforestry as alternative land use production systems for the tropics. In Natural Resources

Forum. Oxford, UK: Blackwell Publishing Ltd. 2000, May;24(12):137-151.

- Khan M, Mahmood HZ, Abbas G, Damalas CA. Agroforestry systems as alternative land-use options in the arid zone of Thal, Pakistan. Small-scale 2017;16(4):553-569.
- 9. Zubair M, Garforth C. Farm level tree planting in Pakistan: the role of farmers' perceptions and attitudes. Agroforestry Systems. 2006;66(3):217-229.
- Zubair, Muhammad, Akash Jamil, Martin Lukac, Syed A. Manzoor. Non-timber forest products collection affects education of children in forest proximate communities in Northeastern Pakistan. Forests. 2019;10(9):813.

DOI:https://doi.org/10.3390/f10090813

- 11. Leakey R. Definition of agroforestry revisited. Agroforestry Today. 1996;8:5-5.
- 12. Gold MA, Garrett HE. Agroforestry nomenclature, concepts, and practices. North American Agroforestry: An Integrated Science and Practice 2nd edition, (north American ag). 2009;45-56.
- 13. Frey GE, Mercer DE, Cubbage FW, Abt RC. Economic potential of agroforestry and forestry in the lower Mississippi alluvial valley with incentive programs and carbon payments. Southern Journal of Applied Forestry. 2010;34(4):176-185.
- 14. Franzel SC, Scherr SJ. (Eds.). Trees on the farm: assessing the adoption potential of agroforestry practices in Africa. CABI; 2002.
- 15. Nair PR. Directions in tropical agroforestry research: past, present, and future. In Directions in Tropical Agroforestry Research . Springer, Dordrecht. 1998;223-245.
- Gold MA, Cernusca MM, Godsey LD. Agroforestry product markets and marketing. North American agroforestry: An Integrated Science and Practice. 2009;287-314.
- 17. Gold MA, Garrett HE. Agroforestry nomenclature, concepts, and practices. North American Agroforestry: An Integrated Science and Practice 2nd edition, (North American ag). 2009;45-56.
- Puri S, Nair PKR. Agroforestry research for development in India: 25 years of experiences of a national program. Agroforestry Systems. 2004;61(1):437-452.

- Djalilov BM, Khamzina A, Hornidge A-K, Lamers JPA. Exploring constraints and incentives for the adoption of agroforestry practices on degraded cropland in Uzbekistan. J Environ Plan Manag. 2016;59(1):142–162.
- Rahman SA, Sunderland T, Roshetko JM, Basuki I, Healey JR. Tree culture of smallholder farmers practicing agroforestry in Gunung Salak Valley, West Java, Indonesia. Small Scale For. 2016;15(4):433–442.
- 21. Pantera A, Mosquera-Losada MR, Herzog F. (Agroforestry and the environment. Agroforest Syst. 2021;95:767–774.
- 22. Gosling E, Reith E, Knoke T. Exploring farmer perceptions of agroforestry via multi-objective optimisation: a test application in Eastern Panama. Agroforest Syst. 2020;94:2003–2020.
- 23. Vosti SA. Witcover J. Oliveira S. Faminow Policy M. issues in agroforestry: technology adoption and regional integration in the western Brazilian Amazon. In Directions in Tropical Agroforestry Research. Springer. Dordrecht, 1998;195-222,
- 24. Pattanayak SK, Mercer DE, Sills E, Yang JC. Taking stock of agroforestry adoption studies. Agroforestry Systems. 2003;57(3):173-186.
- Roofi Y, Alqama K. Ethical dilemma in Pakistan and division of Punjab: End or beginning of a new era of conflict. J. Pol. & L. 2013;6:156.
- Nawaz MF, Yousaf MTB, Yasin G, Gul S, Ahmad I, Abdullah M, Afzal S. Agroforestry status and its role to sequester atmospheric CO2 under semiarid climatic conditions in Pakistan. Appl. Env. Res. 2018;16(1):645-661.
- Anjum SA, Wang L, Salhab J, Khan I, Saleem MF. An assessment of drought extent and impacts in agriculture sector in Pakistan. Journal of Food, Agriculture & Environment. 2010; 8(3/4 part 2):1359-1363.
- Baig MB, Shabbir A, Nowshad K, Muhammad K. Germ plasm Conservation of Multipurpose Trees and their Role in Agroforestry for Sustainable Agricultural Production in Pakistan. Int. J. Agric. Biol. 2008;10(2).
- 29. Iskandar D. The decision-making process in the adoption of agroforestry technology by smallholder rubber farmers in Indonesia; 2011.

- Duguma LA. Financial analysis of agroforestry land uses and its implications for smallholder farmers livelihood improvement in Ethiopia. Agroforestry Systems. 2013;87(1):217-231.
- Stancheva J, Bencheva S, Petkova K, Piralkov V. Possibilities for agroforestry development in Bulgaria: Outlooks and limitations. Ecological Engineering. 2007;29(4):382-387.
- 32. Kay S, Graves A, Palma JH, Moreno G, Roces-Díaz JV, Aviron S, Herzog F. Agroforestry is paying off–Economic evaluation of ecosystemservices in European landscapes with and without agroforestry systems. Ecosystem Services. 2019;36:100896.
- Ilany T, Ashton MS, Montagnini F, Martínez C. Using agroforestry to improve soil fertility: Effects of intercropping on llex paraguariensis (yerba mate) plantations

with Araucaria angustifolia. Agrofor. Syst. 2010;80:399–409.

- 34. Mbow C, Smith P, Skole D, Duguma LA, Bustamante MMC. Achieving mitigation and adaptation to climate change through sustainable agroforestry practices in Africa. Curr. Opin. Environ. Sustain. 2014;6.
- Fagerholm N, Torralba M, Burgess PJ, Plieninger TA. Systematic map of ecosystem services assessments around European agroforestry. Ecol. Indic. 2016;62:47–65.
- McAdam JH, Burgess PJ, Graves A, Rigueiro-Rodríguez A. Classifications and functions of agroforestry systems in Europe. In Agroforestry in Europe: Current Status and Future Prospects; Rigueiro-Rodríguez, A, McAdam, J, Mosquera-Losada, M.R, Eds, Springer: Dordrecht, The Netherlands. 2009;21–41.

© 2021 Zubair et al, This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle4.com/review-history/76069