



Application and Impacts of Mulch Installation Techniques on Indian Horticulture: An In-depth Review

Sandeep Indurthi ^{a++}, Razauddin ^{b#*}, P. Ashoka ^{ct†},
D. R. K. Saikanth ^{d‡}, Hiren Das ^{e^}, Vivek Kumar ^{f#}
and Roshan Pancholi ^{g++}

^a Department of Horticulture, Assam Agricultural University Jorhat -785013, Assam, India.

^b Department of Horticulture, Babasaheb Bhimrao Ambedkar University (A Central University), Lucknow 226025, India.

^c Agricultural Resaerch Station, (University of Agricultural Sciences, Dharwad) Hanumanmatti(p) Ranebennur(tq), Haveri (District)– 581 115, Karanataka State, India.

^d ICAR-ATARI,ZONE-X, Hyderabad, India.

^e Department of Soil Science, Assam Agricultural University, Jorhat, 785013, Assam, India.

^f Department of Pomology and Post Harvest Technology, Uttar Banga Krishi Vishwavidyalaya, Coochbehar, West Bengal, 736165, India.

^g Department of Agroforestry, Banaras Hindu University, Varanasi, 221005, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/IJPSS/2023/v35i183504

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/104342>

Review Article

Received: 30/05/2023

Accepted: 03/08/2023

Published: 11/08/2023

⁺⁺MSc. Agri;

[#]Research Scholar;

[†]Senior Agronomist and Head;

[‡]SRF;

[^]PhD Scholar;

^{*}Corresponding author: E-mail: razauddinahmad0786@gmail.com;

ABSTRACT

Mulching, an ancient agricultural practice, has emerged as a critical tool in modern horticulture due to its numerous benefits. This review examines the application and impacts of mulch installation techniques on Indian horticulture, with a focus on understanding different mulch types, traditional and modern techniques, advantages, potential impacts on crop growth and yield, and environmental implications. The introduction elucidates the definition and historical importance of mulching in horticulture and sets the objective of the review: to comprehensively assess various mulch installation techniques and their impacts on Indian agriculture. The subsequent sections delve into the different types of mulches used in Indian horticulture, categorizing them into organic, inorganic, and biodegradable materials. Each type is discussed in detail, including its benefits and concerns, providing a holistic understanding of the materials available to farmers. Traditional mulching techniques, such as hand-spreading and the use of simple tools, are explored, highlighting local adaptations and indigenous practices that have been prevalent in Indian agriculture for generations. Modern mulching techniques, like automated mulch spreaders, plastic film laying machines, and mulch mats/sheets, are then examined, emphasizing their potential to enhance efficiency and productivity in contemporary agriculture. The review goes on to explore the advantages of mulching techniques, including soil moisture retention, weed growth reduction, temperature regulation, erosion control, and organic matter addition in the case of organic mulches. These benefits underscore the vital role of mulching in sustainable and resource-efficient farming. The potential impacts of mulching on crop growth and yield are analyzed, focusing on improved germination and early growth, reduced water requirements, enhanced pest and disease resistance, and increased yield and quality of produce. The effects on different crop types, such as fruits, vegetables, and flowers, are also explored, elucidating the versatility of mulching techniques across diverse agricultural contexts. Furthermore, the review investigates the environmental impacts of various mulch materials, emphasizing benefits such as soil structure improvement, reduction in water runoff, and carbon sequestration. Simultaneously, concerns, including plastic pollution from inorganic mulches, decomposition rate and residues from organic mulches, and impacts on local biodiversity, are discussed. Finally, recommendations for future research and practice are proposed. These include exploring new biodegradable mulch options, developing cost-effective installation techniques, implementing training programs for farmers and horticulturists, and formulating policies and guidelines for sustainable mulching practices. By addressing these challenges, the potential of mulching in contributing to sustainable and productive agriculture can be fully realized.

Keywords: Horticulture; techniques; sustainability; yield; biodiversity.

1. INTRODUCTION

Mulching, a term derived from the English word "mulch," has been an intrinsic aspect of horticultural practices worldwide. The importance of mulching in agriculture and horticulture cannot be understated. Mulching can be succinctly defined as the practice of applying a layer of materials – organic, inorganic, or synthetic over the surface of the soil. This layer serves multifarious functions ranging from conserving soil moisture, controlling weeds, enhancing soil health, to regulating soil temperature [1]. Organic mulches, which decompose over time, can be composed of materials such as straw, leaves, and compost. In contrast, inorganic or synthetic mulches may consist of plastic films, gravels, or other non-biodegradable materials. The choice of mulch often depends on the specific objectives of

the horticultural activity and the crop in question [2]. The history of mulching, especially in horticulture, can be traced back to ancient civilizations. Historical records from ancient India, for instance, hint at the use of straw and leaves to cover the base of plants [3]. Such practices were predominantly geared towards moisture retention, especially in regions with scanty rainfall. The Chinese, during the Han Dynasty, also utilized organic mulches, primarily to retain soil warmth during colder months, an indication of the early realization of mulching's temperature-regulating properties [4]. The importance of mulching transcends mere moisture retention or temperature control. The application of organic mulches, over time, enhances soil fertility as they decompose and release essential nutrients into the soil. This slow and sustained release of nutrients provides a

consistent source of nutrition for plants, a factor recognized by early horticulturists [5]. In addition to nutrient provision, mulching plays a crucial role in weed suppression. Weeds, often unwelcome in horticultural practices, compete with crops for nutrients. The barrier formed by mulch impedes the growth of these weeds, thus benefiting the primary crops. Historical texts from ancient Rome elucidate the utilization of stone mulches in vineyards, highlighting early strategies to combat weed infestations [6]. In modern times, with the burgeoning population and increasing demands on agriculture, optimizing crop yields has become paramount. India, with its diverse climate and vast agricultural land, provides a unique case study for mulching applications in horticulture. The purpose of this review is threefold: To delve into the impacts of these techniques on horticultural outcomes, encompassing crop yield, soil health, and environmental consequences. To glean insights from the confluence of traditional practices and modern innovations in mulching techniques, as applied in Indian horticulture [7]. This exploration provides an opportunity not only to appreciate the historical importance of mulching but also to equip current and future practitioners with knowledge about best practices and potential challenges.

2. USE OF MULCH IN INDIAN HORTICULTURE

Mulching, an age-old horticultural practice, has evolved significantly in its application and the materials employed. In the diverse agricultural backdrop of India, a range of mulches have been adopted to cater to varied horticultural requirements. These mulches can be broadly categorized into organic, inorganic, and biodegradable types, each having distinct attributes and applications [8]. Organic mulches, derived from once-living materials, decompose over time and enrich the soil with organic matter. They have been traditionally favored in Indian horticulture due to their availability, cost-effectiveness, and soil-enhancing properties. **Straw:** Straw, primarily rice or wheat straw, has been a preferred mulching material due to its widespread availability in agrarian states. It effectively conserves soil moisture, suppresses weed growth, and gradually adds organic matter to the soil [9]. **Compost:** Composted organic matter, rich in nutrients, serves dual purposes. Apart from acting as a mulch that conserves moisture and controls weeds, it steadily releases

nutrients, promoting plant growth [10]. **Leaves:** Dried leaves, especially from large deciduous trees, have been traditionally employed as a mulching material. Leaf mulch can also regulate soil temperature and provide a habitat for beneficial microorganisms [11]. **Grass Clippings:** Fresh or dried grass clippings are also utilized as mulch. While they decompose faster than straw or leaves, they effectively suppress weeds and add nitrogen to the soil [12]. **Inorganic mulches,** typically non-biodegradable, are employed for their durability and specific properties that organic mulches might not offer. However, their impact on the environment and disposal concerns are noteworthy [13]. **Plastic Films:** Polyethylene or polypropylene films are widespread in modern Indian horticulture. They are particularly effective in weed suppression, moisture conservation, and soil warming, benefitting early-season crops. However, disposal issues have led to the exploration of biodegradable alternatives [14]. **Gravel and Stones:** In arid regions and for certain ornamental plants, gravel and stones serve as effective mulching materials. They prevent soil erosion, conserve moisture, and deter pests. Moreover, they offer aesthetic appeal in landscaped [15]. Given the environmental concerns associated with inorganic mulches, the focus has shifted towards biodegradable options. These mulches, while mimicking the benefits of inorganic mulches, degrade over time, alleviating disposal concerns. **Paper:** Recycled paper mulch, sometimes combined with organic materials, offers a sustainable alternative to plastic films. They are effective in moisture conservation and weed control and decompose to add organic matter to the soil [16]. **Starch-based Films:** Starch-based biodegradable films, derived from crops like corn and potatoes, have gained traction due to their similar properties to plastic films but with the added advantage of biodegradability. **Wool:** Wool mulch, a relatively novel concept, has been explored for its superior water retention capabilities, slow degradation rate, and provision of essential nutrients like nitrogen upon decomposition [17].

3. TRADITIONAL USE OF MULCH

Indian horticulture, with its deeply entrenched roots, has thrived over millennia due to a harmonious blend of age-old wisdom and practical ingenuity. One such manifestation of this wisdom is seen in the traditional techniques

employed for mulching. These techniques, borne out of necessity and shaped by local climatic and socio-cultural conditions, continue to be significant even in the face of modern technological advancements [18]. One of the oldest and most intuitive methods, hand-spreading of mulch, involves the manual dispersal of mulching materials over the cultivated land. **Process:** The process is straightforward. Farmers collect the chosen mulching material, be it straw, leaves, or grass clippings, and spread it evenly across the farmland by hand [19]. **Advantages:** This method allows for a precise application. Farmers can gauge the amount of mulch required based on their tactile experience, ensuring neither excess nor deficit. This ensures optimum soil moisture and weed suppression. **Challenges:** The primary limitation is the manual labor requirement. Hand-spreading over extensive farmlands can be strenuous and time-consuming [20]. As Indian horticulture evolved, so did the tools associated with it. **Basic implements** facilitated more efficient mulching, reducing labor intensity and enhancing precision. **Mulch Ploughs:** Rudimentary wooden ploughs, drawn by animals or humans, were used to spread or adjust mulch on the fields. While still labor-intensive, this method ensured more uniform distribution [21]. **Manual Spreaders:** Made of wood or bamboo, these were simple contraptions that helped in spreading mulches like compost more uniformly. The mulch would be loaded onto the spreader, and as it was pushed or pulled, it would scatter the mulch [22]. India, with its vast geographical and climatic diversity, has fostered unique mulching techniques adapted to local conditions. **Raised Bed Mulching:** In regions prone to waterlogging, like parts of West Bengal, farmers developed raised beds for cultivation. Mulch was spread around these raised beds, ensuring both moisture conservation and efficient water drainage [23]. **Layered Mulching:** In arid zones such as Rajasthan, farmers employed a layered mulching technique. A base layer of coarse material like gravel would be covered with an organic layer like straw. This dual layer helped in moisture retention and also reduced evaporation. **Green Mulching:** This technique, prevalent in the tribal areas of Central India, involves intercropping with certain plants. These plants, when mature, are slashed and left on the field, serving as green mulch. This method not only provides mulch but also enhances soil fertility due to the decomposition of green matter [24].

4. MODERN USE OF MULCH

The progression of time, driven by technological advancements and the increasing need for efficiency in agriculture, has ushered in a new era of mulching techniques. Modern mulching techniques, predominantly mechanized, are a testament to the amalgamation of traditional knowledge and contemporary innovation [25]. A leap from hand-spreading and manual spreaders, automated mulch spreaders have revolutionized mulching in vast agricultural terrains. **Design and Operation:** Typically tractor-mounted, these machines have hoppers that store the mulching material. As the tractor moves, the spreader uniformly distributes the mulch over the field. Some designs allow for depth regulation, ensuring optimal mulch layer thickness [26]. **Advantages:** Automated spreaders considerably reduce labor requirements and ensure uniform mulch distribution, optimizing benefits like moisture retention and weed suppression. They also significantly expedite the mulching process, enabling timely farm operations. **Challenges:** The initial investment cost can be daunting for small-scale farmers. Maintenance and occasional repairs also factor into long-term considerations [27].

5. PLASTIC FILM LAYING MACHINES

Plastic film mulches, with their myriad benefits, have found favor in contemporary horticulture. Mechanized laying of these films further accentuates their appeal. **Design and Operation:** These machines, also typically tractor-mounted, unroll the plastic film while simultaneously covering the film edges with soil to anchor them in place. Advanced models also have drip irrigation laying systems integrated, ensuring efficient water use [28]. **Advantages:** Beyond the speed and uniformity of film laying, these machines minimize wrinkles or air pockets, ensuring close contact between the soil and the film. This maximizes soil warming, especially beneficial for early-season crops [29]. **Challenges:** Like automated spreaders, the initial cost is a limiting factor for many. Furthermore, the plastic mulch's environmental implications have prompted a transition towards biodegradable alternatives [30].

6. MULCH MATS AND SHEETS

Incorporating innovation in material and design, mulch mats and sheets are the vanguards of sustainable and efficient mulching. **Design:**

These mats, made from various materials like coir, jute, or even bioplastics, are designed for longevity and specific applications. They often come with perforations, allowing plants to grow through while suppressing unwanted weeds [31]. Applications: Commonly used in orchards, vineyards, and ornamental gardens, these mats offer efficient weed control without the need for chemical herbicides. They also facilitate moisture retention and soil temperature regulation. Advantages: Their semi-permanent nature means they can be used for multiple seasons, ensuring cost-effectiveness. Being easy to deploy, they reduce labor requirements. Moreover, many of these mats are biodegradable, ensuring environmental sustainability [32, 33].

7. MECHANISMS AND ADVANTAGES OF USING MULCH

Mulching, an age-old agricultural practice, has been gaining attention in recent years, not merely as a passive soil-covering technique but as an active agent in enhancing soil health and productivity. The myriad advantages of mulching have been extensively documented in literature, ranging from water conservation to weed management [34].

8. SOIL MOISTURE RETENTION

Mechanism: Mulches create a barrier between the soil surface and the atmosphere. This barrier reduces the rate of evaporation from the soil surface, thus conserving moisture. Additionally, organic mulches, in particular, can absorb rainfall and release it slowly into the soil, preventing surface runoff [35].

Advantages: Enhanced soil moisture improves plant growth, especially in regions where irrigation is sporadic or water sources are scarce. This, in turn, can lead to increased yields and more consistent crop quality.

9. REDUCTION IN WEED GROWTH

Mechanism: Mulches, by covering the soil, inhibit the germination and growth of weed seeds. This is due to the reduced light penetration, which is essential for many weed seeds to germinate. Some mulches, especially certain organic types, can even release chemicals that suppress weed growth, a phenomenon known as allelopathy [36].

Advantages: Reduced weed growth means less competition for essential nutrients, water, and light. This can lead to better growth of the desired crops. Additionally, less reliance on chemical herbicides means a decrease in farming costs and less environmental impact [37].

10. TEMPERATURE REGULATION

Mechanism: Mulches act as insulators. They can prevent rapid temperature fluctuations by absorbing heat during the day and releasing it slowly during the night. This moderating effect is particularly pronounced in the case of plastic and other inorganic mulches [38].

Advantages: Certain crops are sensitive to temperature fluctuations, especially during their critical growth stages. By regulating soil temperature, mulches can ensure the optimal growth environment for these crops, leading to better yields and quality.

11. EROSION CONTROL

Mechanism: By shielding the soil surface from the direct impact of raindrops, mulches can prevent soil displacement. They also reduce the speed of water, thus decreasing surface runoff and preventing the washing away of the topsoil [39].

Advantages: Soil erosion can lead to the loss of fertile topsoil, reducing the land's productivity. By controlling erosion, mulches ensure long-term soil health and sustainability. This is especially crucial in hilly terrains and regions with heavy rainfall [40].

12. ORGANIC MATTER ADDITION (IN CASE OF ORGANIC MULCHES)

Mechanism: Organic mulches like straw, compost, leaves, and grass clippings decompose over time. This decomposition enriches the soil with organic matter, which enhances its structure, water-holding capacity, and microbial activity [41].

Advantages: Addition of organic matter improves soil fertility, ensuring better nutrient availability for crops. The improved soil structure promotes root growth, which further enhances crop health and yield. Moreover, the increase in

microbial activity ensures a healthy soil ecosystem, promoting sustainable agriculture.

13. POTENTIAL IMPACT OF USING MULCH ON GROWTH AND PRODUCTION

The efficacy of agricultural practices is primarily gauged by their impact on crop growth and yield. Mulching, as a multifaceted agronomic practice, showcases profound effects on these parameters. A confluence of factors, primarily stemming from the benefits of mulching, translates into direct and indirect influences on crop growth, yield, and even quality [42].

Improved Germination and Early Growth include, **Mechanism:** Mulching facilitates a stable soil environment by moderating temperature extremes and retaining moisture. This stability is critical during the initial stages of crop development, especially during germination [43]. **Impact:** The resulting enhanced germination rates lead to a more uniform crop stand. Additionally, the favorable conditions promote robust early growth, setting the stage for improved yields. **Reduction in the Need for Water and Irrigation** include, **Mechanism:** By reducing surface evaporation and improving the soil's water-holding capacity, mulching significantly curtails the frequency and volume of irrigation needed [44]. **Impact:** Reduced irrigation requirements not only conserve water but also decrease labor and energy costs associated with irrigation. Furthermore, consistently moist soils prevent physiological stresses on crops, which could deter their growth and yield [45].

Improved Pest and Disease Resistance, **Mechanism:** Some organic mulches release allelopathic compounds that deter pests. Mulching also disrupts the life cycles of certain soil-borne pathogens by creating a physical barrier or altering soil conditions unfavourably for them [46]. **Impact:** A diminished pest and disease pressure can lead to healthier plants, ensuring optimal growth and reduced crop losses. Additionally, this might curtail the need for chemical pesticides, leading to more eco-friendly farming and safer produce. **Increase in Yield and Quality of Produce**, **Mechanism:** All aforementioned advantages of mulching culminate in creating an optimal environment for plant growth. Whether it's the moderated temperatures, consistent moisture levels, or reduced pest pressures, each factor plays its part. **Impact:** Studies have consistently shown an

increase in crop yield in mulched fields compared to non-mulched counterparts. Moreover, the quality of produce, in terms of size, color, taste, and nutritional content, can also see marked improvement [47].

Effect on Different Crops include, **Fruits:** Fruit crops, especially tree-based ones, benefit immensely from mulching. Soil moisture conservation is critical for fruit development, and mulching ensures this. For instance, citrus orchards under mulch have shown improved fruit size and juice content [48]. **Vegetables:** Mulching in vegetable cultivation, especially for water-sensitive crops like tomatoes, can drastically improve yield. The temperature regulation also benefits cool-season vegetables like broccoli and lettuce, prolonging their harvest period [49]. **Flowers:** Mulching in ornamental horticulture ensures vibrant flower blooms by improving soil structure and fertility. The reduced weed competition, critical in flower farms, allows for unhampered growth and development of flower plants.

14. ENVIRONMENTAL IMPACTS OF DIFFERENT MULCH MATERIALS

Mulching, one of the most widely adopted soil conservation and crop productivity enhancement techniques, has varied environmental implications based on the materials employed. As global agriculture intensifies, the ecological footprint of practices, including mulching, comes under scrutiny. This discourse examines both the benefits and concerns associated with different mulch materials [50].

15. BENEFITS

15.1 Soil Structure Improvement

Mechanism: Mulches, especially organic ones, introduce a plethora of organic matter into the soil. Over time, this organic matter gets decomposed, contributing to the formation of humus [51].

Impact: Humus improves the physical properties of the soil. It aids in binding soil particles together, enhancing its porosity and permeability. Consequently, soils demonstrate better water retention, reduced compaction, and increased aeration - all essential for robust plant growth [52].

15.2 Reduction in Water Runoff

Mechanism: Mulches form a protective layer over the soil. This layer breaks the impact of rainfall, reducing its kinetic energy and preventing the detachment of soil particles [53].

Impact: Reduced water runoff implies lower soil erosion. Moreover, it increases the infiltration rate of water, ensuring better moisture availability for crops and recharging underground water tables. This can be particularly beneficial in regions prone to flash floods and erosion.

15.3 Carbon Sequestration

Mechanism: Organic mulches, derived from plant residues, act as carbon reservoirs. When applied to soil, they gradually decompose; a fraction of their carbon content integrates with the soil as stable organic carbon compounds [54].

Impact: Increased soil carbon stock contributes to global carbon sequestration, mitigating the impacts of increasing atmospheric carbon dioxide concentrations. In the long term, this could be instrumental in combating climate change and global warming.

16. CONCERNS

16.1 Plastic Pollution from Inorganic Mulches

Mechanism: Inorganic mulches, especially plastic mulches, are durable and resistant to decomposition. While this offers longevity, these mulches, when not properly managed post-use, persist in the environment [55].

Impact: Persistent plastic fragments pose threats to soil health by disrupting its physical properties. Additionally, they might leach chemicals, impacting soil microbial communities. This plastic residue can enter water bodies, leading to broader environmental concerns, including marine pollution.

16.2 Decomposition Rate and Residues from Organic Mulches

Mechanism: Organic mulches are biodegradable. However, the rate of decomposition varies, influenced by factors like

the material's lignin content, soil microbial activity, and climatic conditions [56].

Impact: Rapidly decomposing mulches require frequent replenishment, increasing labor and material inputs. Conversely, mulches that decompose slowly might not offer immediate benefits. In some cases, residues from decomposition, like tannins, might affect soil pH or inhibit certain beneficial microorganisms [57].

16.3 Impact on Local Biodiversity

Mechanism: Mulching alters the soil microenvironment – its temperature, moisture levels, and sometimes even its chemical properties. This can have repercussions on soil fauna [58].

Impact: Beneficial organisms, like earthworms and mycorrhizal fungi, might thrive under mulched conditions, enhancing soil health. However, in some cases, mulching might also provide a conducive environment for pests or pathogenic microorganisms. The overall effect on biodiversity is contingent upon the material and application method [59].

17. SOCIO-ECONOMIC IMPACTS

The practice of mulching, although primarily known for its agronomic benefits, has interwoven effects on socio-economic dimensions. As we grapple with increasing food demand and changing agricultural practices, it's crucial to understand how these techniques alter the socio-economic fabric of agrarian communities. Herein, the socio-economic repercussions of mulching, ranging from job creation to training needs, are dissected [60]. The rise in mulching popularity has invigorated related industries. **Manufacturing:** There has been a proliferation of businesses involved in mulch production, both organic and inorganic. These businesses cater to a diverse clientele, from smallholders to large commercial farms [61]. **Installation:** The deployment of mulch, especially the advanced mulching systems, demands specialized skills. This has given birth to a new segment of professionals offering mulch installation services. **Socio-economic Repercussion:** The emergence of these sectors has augmented local employment opportunities, providing alternative income sources, especially in rural pockets where job avenues are traditionally limited [62].

18. REDUCTION IN FARM LABOR REQUIREMENTS DUE TO DECREASED WEEDING

Mulching effectively suppresses weed growth, translating to reduced weeding efforts. Mechanism: Mulches obstruct sunlight penetration, inhibiting the germination of weed seeds. Additionally, they form a physical barrier, making it cumbersome for weeds to break through [63]. Socio-economic Repercussion: Reduced weeding translates to lower labor requirements. While this can lead to savings for the farmers, it also means diminished job opportunities for laborers reliant on weeding tasks. This dual-edged nature makes the socio-economic implications of this benefit a bit complex [64].

19. POTENTIAL INCREASE IN FARM PROFITABILITY

The introduction of mulching has, in numerous cases, augmented farm outputs and reduced input costs. Mechanism: Mulching conserves soil moisture, curbs erosion, boosts soil fertility (especially organic mulches), and reduces pest incidence. All these factors collectively enhance crop yields. Additionally, savings from reduced irrigation and weeding also add up [65]. Socio-economic Repercussion: Elevated profitability can uplift the socio-economic conditions of farming communities. Increased incomes pave the way for improved living standards, better education, healthcare, and overall life quality [66].

20. TRAINING AND UPSKILLING NEEDS FOR FARMERS

While mulching can seem straightforward, optimizing its benefits demands a nuanced understanding. Mechanism: Different crops, soils, and climates necessitate varied mulching strategies. For instance, the type, thickness, and timing of mulch application can profoundly influence its effectiveness [67]. Socio-economic Repercussion: The need for specialized knowledge has triggered training and upskilling programs. Numerous NGOs, governmental agencies, and private firms now offer courses and workshops on mulching techniques. These programs not only empower farmers with knowledge but also foster community interactions, paving the way for knowledge exchange and collective action [68].

21. CHALLENGES AND LIMITATIONS

Mulching, though a potent agronomic strategy with myriad benefits, comes with its own set of challenges and limitations. This segment seeks to dissect and elucidate these issues that hinder optimal and widespread adoption of mulching in agricultural contexts, especially focusing on the challenges rooted in the socio-economic, environmental, and practical dimensions [69]. Initial Cost of Mulch Installation: The initial outlay required for mulching, especially the more advanced types, can be daunting for small to medium scale farmers. Cost Dynamics: Organic mulches might require extensive labor for gathering, preparation, and application. In contrast, inorganic and biodegradable mulches, although efficient in application, can be costly to procure [70]. Socio-Economic Implications: The high initial costs can be a barrier for smallholder farmers who may lack the necessary financial reserves. This might foster a socio-economic divide, where only affluent farmers can afford these advanced mulching techniques, thereby potentially widening the yield gap [71]. Proper Disposal and Recycling of Inorganic Mulches: With increasing awareness about environmental health, the disposal of inorganic mulches, particularly plastics, has come under scrutiny. Environmental Impact: Used plastic mulches, if not appropriately disposed of, can lead to soil contamination, waterway blockage, and can contribute to the broader problem of plastic pollution. Socio-Economic Implications: With mounting environmental regulations, farmers might incur additional costs for compliant disposal methods. Additionally, communities residing near improperly disposed mulch sites might face health risks [72]. Some mulches, while suppressing weeds, might inadvertently create conducive environments for certain pests. Agronomic Impact: Mulches maintain a humid environment at the soil surface. This can be ideal for the proliferation of certain pests, such as slugs and snails, and even some soil-borne pathogens [73]. Socio-Economic Implications: Proliferation of pests can lead to reduced yields, necessitating increased investment in pest control measures, and could adversely impact farmer profitability. As climatic patterns change and new agronomic challenges emerge, there's a constant need for research and adaptation in mulching practices.

Research Dynamics: Continuous research is essential to adapt mulching techniques to diverse

soil types, climates, and crops. This is especially pertinent in the face of global climate change, where established practices might become obsolete. Socio-Economic Implications: The ever-evolving nature of best practices in mulching means farmers need to stay updated, necessitating continuous training. While this ensures best practices are followed, it can also be seen as a recurring cost and time investment for the farming community [74].

22. RECOMMENDATIONS FOR FUTURE RESEARCH AND PRACTICE

The evolving landscape of horticulture, coupled with emerging challenges in the global agricultural sector, has thrust the practice of mulching into the limelight. As we delve deeper into the intricate dance of sustainability and productivity, there arises a clarion call for proactive research and innovative practices. Herein, we outline recommendations that are integral to shaping the future trajectory of mulching in agriculture [75]. The increasing focus on sustainability has brought biodegradable mulches to the fore. These environmentally friendly alternatives to traditional inorganic mulches, while beneficial, require extensive research to enhance their efficacy. Investigations into materials derived from agricultural waste or renewable sources can reveal sustainable options that are not only functional but also enrich the soil without negative residues. By adopting biodegradable mulches, we can reduce plastic pollution and contribute positively to soil health [76]. Simultaneously, the physical act of mulch installation needs to be economically feasible for it to see widespread adoption. With the development of affordable, durable, and adaptable equipment, especially catering to varied farm sizes and terrains, mulching can become accessible to all farmers. Techniques that reduce labor intensity and speed up the mulching process without compromising effectiveness can pave the way for greater adoption rates [77]. However, having the right tools and materials is only half the battle. The other half lies in equipping our farmers and horticulturists with the necessary knowledge and skills. Tailored training programs, considering factors such as literacy levels, local languages, and cultural nuances, can foster a well-informed community of practitioners. Regular evaluations of these training programs' impact on farm productivity can further refine them, ensuring they remain effective and relevant. Lastly, the role of governance cannot

be understated. Policymakers must frame guidelines that promote sustainable mulching practices while providing incentives for adherence. Understanding the socio-economic dynamics associated with such policy interventions can illuminate the path for creating impactful, farmer-friendly policies. By offering incentives and ensuring compliance, governance can play a pivotal role in steering the farming community towards sustainable practices [78].

23. CONCLUSION

Mulching has proven to be a valuable and versatile technique in Indian horticulture, offering numerous benefits to farmers and the environment. From traditional hand-spreading methods to modern automated mulch spreaders, the diversity of mulching techniques underscores its adaptability to various agricultural contexts. The advantages, including improved soil moisture retention, reduced weed growth, and enhanced crop yields, demonstrate its potential to address pressing agronomic challenges. However, challenges, such as the initial cost of installation and environmental concerns, require careful attention. Future research and practice should prioritize exploring biodegradable mulch options, developing cost-effective installation techniques, and implementing training programs for farmers. Additionally, effective policies and guidelines must be formulated to promote sustainable mulching practices, ensuring the long-term success of this vital agricultural strategy.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Sahu G, Mohanty S, Das S. Conservation agriculture—A way to improve soil health. *J. Exp. Biol. Agric. Sci.* 2020;8(4): 355-68.
2. Litterick AM, Harrier L, Wallace P, Watson CA, Wood M. The role of uncomposted materials, composts, manures, and compost extracts in reducing pest and disease incidence and severity in sustainable temperate agricultural and horticultural crop production—A review. *Critical Reviews in Plant Sciences.* 2004;23(6):453-479.

3. Bossard CC, Randall JM, Hoshovsky MC. (Eds.). Invasive plants of California's wildlands. Univ of California Press; 2000.
4. Revelli R, Porporato A. Ecohydrological model for the quantification of ecosystem services provided by urban street trees. *Urban Ecosystems*. 2018;21:489-504.
5. Mikkelsen RL, Bruulsema TW. Fertilizer use for horticultural crops in the US during the 20th Century. *Hort Technology*. 2005; 15(1):24-30.
6. Mesnage R, Székács A, Zaller JG. Herbicides: Brief history, agricultural use, and potential alternatives for weed control. In *Herbicides*. Elsevier. 2021;1-20.
7. Danks SG. Asphalt to ecosystems: Design ideas for schoolyard transformation. New Village Press; 2010.
8. Iqbal R, Raza MAS, Valipour M, Saleem MF, Zaheer MS, Ahmad S, Nazar MA. Potential agricultural and environmental benefits of mulches—A review. *Bulletin of the National Research Centre*. 2020;44(1): 1-16.
9. Bot A, Benites J. The importance of soil organic matter: Key to drought-resistant soil and sustained food production (No. 80). Food & Agriculture Org; 2005.
10. Das A, Ghosh PK, Verma MR, Munda GC, Ngachan SV, Mandal D. Tillage and residue mulching effect on productivity of maize (*Zea mays*)—toria (*Brassica campestris*) cropping system in fragile ecosystem of northeast Indian Himalayas. *Experimental Agriculture*. 2015;51(1):107-125.
11. Ranjan P, Patle GT, Prem M, Solanke KR. Organic mulching-A Water saving technique to increase the production of fruits and vegetables. *Current Agriculture Research Journal*. 2017;5(3).
12. Ranjan P, Patle GT, Prem M, Solanke KR. Organic mulching-A Water Saving Technique to Increase the Production of Fruits and Vegetables. *Current Agriculture Research Journal*. 2017;5(3).
13. Shen M, Song B, Zeng G, Zhang Y, Huang W, Wen X, Tang W. Are biodegradable plastics a promising solution to solve the global plastic pollution?. *Environmental Pollution*. 2020;263:114469.
14. Price AJ, Norsworthy JK. Cover crops for weed management in southern reduced-tillage vegetable cropping systems. *Weed Technology*. 2013;27(1):212-217.
15. Chalker-Scott L. Impact of mulches on landscape plants and the environment—A review. *Journal of Environmental Horticulture*. 2007;25(4):239-249.
16. Bot A, Benites J. The importance of soil organic matter: Key to drought-resistant soil and sustained food production (No. 80). Food & Agriculture Org; 2005.
17. Hussain M, Farooq M, Nawaz A, Al-Sadi A. M, Solaiman ZM, Alghamdi SS, Siddique KH. Biochar for crop production: Potential benefits and risks. *Journal of Soils and Sediments*. 2017;17:685-716.
18. Peker E. Exploring locally-produced design solutions for thermal comfort: A socio-technical assessment. *Open House International*. 2022;47(3):549-570.
19. Frost J. The living soil handbook: The no-till grower's guide to ecological market gardening. Chelsea Green Publishing; 2021.
20. Siblani WA. Reduced rates of metribuzin and hilling time for weed management in potato (Doctoral dissertation); 2015.
21. Dai J, Kong X, Zhang D, Li W, Dong H. Technologies and theoretical basis of light and simplified cotton cultivation in China. *Field Crops Research*. 2017;214: 142-148.
22. Quinty F, Rochefort L. Peatland restoration guide (p. 106). Fredericton, NB, Canada: Canadian Sphagnum Peat Moss Association; 2003.
23. Meselhy AA. Development the Wide Ridges Machine for Laying Drip Irrigation Tubes and Plastic Mulch in Ras Sudr-South of Sinai. *International Journal of Applied Agricultural Sciences*. 2020;6(5): 135-147.
24. Youkhana A, Idol T. Tree pruning mulch increases soil C and N in a shaded coffee agroecosystem in Hawaii. *Soil biology and Biochemistry*. 2009;41(12):2527-2534.
25. Hinton JJ, Veiga MM, Veiga ATC. Clean artisanal gold mining: a utopian approach? *Journal of Cleaner Production*. 2003;11(2): 99-115.
26. Lucas WC. Green technology: The Delaware urban runoff management approach. London: Division of Soil and Water Conservation; 2004.
27. Poulton C, Dorward A, Kydd J. The future of small farms: New directions for services, institutions, and intermediation. *World Development*. 2010;38(10):1413-1428.
28. Evans RG, Sadler EJ. Methods and technologies to improve efficiency of water use. *Water Resources Research*. 2008; 44(7).

29. Bhardwaj RL. Effect of mulching on crop production under rainfed condition-A review. *Agricultural Reviews*. 2013;34(3): 188-197.
30. Mitrano DM, Wohlleben W. Microplastic regulation should be more precise to incentivize both innovation and environmental safety. *Nature communications*. 2020;11(1):5324.
31. Monaco TJ, Weller SC, Ashton FM. *Weed science: principles and practices*. John Wiley & Sons; 2002.
32. Kasirajan S, Ngouajio M. Polyethylene and biodegradable mulches for agricultural applications: A review. *Agronomy for Sustainable Development*. 2012;32:501-529.
33. Grasswitz TR. Integrated pest management (IPM) for small-scale farms in developed economies: Challenges and opportunities. *Insects*. 2019;10(6):179.
34. Norsworthy JK, Ward SM, Shaw DR, Llewellyn RS, Nichols RL, Webster TM, Barrett M. Reducing the risks of herbicide resistance: Best Management practices and recommendations. *Weed Science*. 2012;60(SP1):31-62.
35. Chalker-Scott L. Impact of mulches on landscape plants and the environment—A review. *Journal of Environmental Horticulture*. 2007;25(4):239-249.
36. Kalinova J. Allelopathy and organic farming. *Sociology, Organic Farming, Climate Change and Soil Science*. 2010;379-418.
37. Popp J, Pető K, Nagy J. Pesticide productivity and food security. A review. *Agronomy for sustainable development*. 2013;33:243-255.
38. Steinmetz Z, Wollmann C, Schaefer M, Buchmann C, David J, Tröger J, Schaumann GE. Plastic mulching in agriculture. Trading short-term agronomic benefits for long-term soil degradation? *Science of the Total Environment*. 2016;550:690-705.
39. Otero JD, Figueroa A, Muñoz FA, Peña MR. Loss of soil and nutrients by surface runoff in two agro-ecosystems within an Andean paramo area. *Ecological Engineering*. 2011;37(12):2035-2043.
40. Visconti D, Fiorentino N, Cozzolino E, Di Mola I, Ottaiano L, Mori M, Fagnano M. Use of giant reed (*Arundo donax* L.) to control soil erosion and improve soil quality in a marginal degraded area. *Italian Journal of Agronomy*. 2020;15(4):332-338.
41. Mohammadi K, Heidari G, Khalesro S, Sohrabi Y. Soil management, microorganisms and organic matter interactions: A review. *African Journal of Biotechnology*. 2011;10(86):19840.
42. Guerra B, Steenwerth K. Influence of floor management technique on grapevine growth, disease pressure, and juice and wine composition: A review. *American Journal of Enology and Viticulture*. 2012; 63(2):149-164.
43. Shao Q, Gu W, Dai QY, Makoto S, Liu Y. Effectiveness of geotextile mulches for slope restoration in semi-arid northern China. *Catena*. 2014;116:1-9.
44. Lipiec J, Doussan C, Nosalewicz A, Kondracka K. Effect of drought and heat stresses on plant growth and yield: A review. *International Agrophysics*. 2013; 27(4).
45. Akhtar SS, Andersen MN, Liu F. Residual effects of biochar on improving growth, physiology and yield of wheat under salt stress. *Agricultural Water Management*. 2015;158:61-68.
46. Ghorbani R, Wilcockson S, Koocheki A, Leifert C. Soil management for sustainable crop disease control: A review. *Environmental Chemistry Letters*. 2008;6: 149-162.
47. Barrett DM, Beaulieu JC, Shewfelt R. Color, flavor, texture, and nutritional quality of fresh-cut fruits and vegetables: Desirable levels, instrumental and sensory measurement, and the effects of processing. *Critical Reviews in Food Science and Nutrition*. 2010;50(5):369-389.
48. Tu A, Xie S, Zheng H, Li H, Li Y, Mo M. Long-term effects of living grass mulching on soil and water conservation and fruit yield of citrus orchard in south China. *Agricultural Water Management*. 2021;252: 106897.
49. Rubatzky VE, Yamaguchi M. *World vegetables: Principles, production, and nutritive values*. Springer Science & Business Media; 2012.
50. Benyei P, Cohen M, Gresillon E, Angles S, Araque-Jiménez E, Alonso-Roldán M, Espadas-Tormo I. Pruning waste management and climate change in Sierra Mágina's olive groves (Andalusia, Spain). *Regional Environmental Change*. 2018;18: 595-605.
51. Wan C, Shen GQ, Choi S. Waste management strategies for sustainable development. In *Encyclopedia of*

- sustainability in higher education (pp. 2020-2028). Cham: Springer International Publishing; 2019.
52. Gomez A, Powers RF, Singer MJ, Horwath WR. Soil compaction effects on growth of young ponderosa pine following litter removal in California's Sierra Nevada. *Soil Science Society of America Journal*. 2002;66(4):1334-1343.
 53. Wang L, Shi ZH, Wang J, Fang NF, Wu GL, Zhang HY. Rainfall kinetic energy controlling erosion processes and sediment sorting on steep hillslopes: A case study of clay loam soil from the Loess Plateau, China. *Journal of Hydrology*. 2014; 512:168-176.
 54. Cotrufo MF, Wallenstein MD, Boot CM, Deneff K, Paul E. The Microbial Efficiency-Matrix Stabilization (MEMS) framework integrates plant litter decomposition with soil organic matter stabilization: Do labile plant inputs form stable soil organic matter? *Global Change Biology*. 2013;19(4):988-995.
 55. Braungart M, McDonough W, Bollinger A. Cradle-to-cradle design: Creating healthy emissions—a strategy for eco-effective product and system design. *Journal of Cleaner Production*. 2007;15(13-14):1337-1348.
 56. Couˆteaux MM, Bottner P, Berg B. Litter decomposition, climate and litter quality. *Trends in Ecology & Evolution*. 1995;10(2): 63-66.
 57. Rose R, Haase DL, Boyer D. Organic matter management in forest tree nurseries: Theory and Practice; 1995.
 58. Tomczyk A, Sokołowska Z, Boguta P. Biochar physicochemical properties: Pyrolysis temperature and feedstock kind effects. *Reviews in Environmental Science and Bio/Technology*. 2020;19:191-215.
 59. Dent D, Binks RH. Insect pest management. Cabi; 2020.
 60. Mthembu NN, Zwane EM. The adaptive capacity of smallholder mixed-farming systems to the impact of climate change: The case of KwaZulu-Natal in South Africa. *Jambá: Journal of Disaster Risk Studies*. 2017;9(1): 1-9.
 61. Benson T, Kirama SL, Selejio O. The supply of inorganic fertilizers to smallholder farmers in Tanzania: Evidence for Fertilizer Policy Development; 2012.
 62. Tickamyer AR, Duncan CM. Poverty and opportunity structure in rural America. *Annual Review of Sociology*. 1990;16(1): 67-86.
 63. Sivalingam T, Swathi S, Balasubramanian A, Ramya K. Advances in weed management. *Compendium of Agriculture and Allied Sciences*. 2022;159.
 64. Karamchedu A. Dried up Bt cotton narratives: Climate, debt and distressed livelihoods in semi-arid smallholder India. *Climate and Development*. 2023;1-12.
 65. Bot A, Benites J. The importance of soil organic matter: Key to drought-resistant soil and sustained food production (No. 80). *Food & Agriculture Org*; 2005.
 66. Rao SK, Prasad R. Impact of 5G technologies on smart city implementation. *Wireless Personal Communications*. 2018; 100:161-176.
 67. Marble SC. Herbicide and mulch interactions: A review of the literature and implications for the landscape maintenance industry. *Weed Technology*. 2015;29(3):341-349.
 68. Nath V. Empowerment and governance through information and communication technologies: Women's perspective. *The International Information & Library Review*. 2001;33(4):317-339.
 69. Prager K, Posthumus H. Socio-economic factors influencing farmers' adoption of soil conservation practices in Europe. *Human Dimensions of Soil and Water Conservation*. 2010;12:1-21.
 70. Steinmetz Z, Wollmann C, Schaefer M, Buchmann C, David J, Tröger J, Schaumann GE. Plastic mulching in agriculture. Trading short-term agronomic benefits for long-term soil degradation? *Science of the Total Environment*. 2016; 550:690-705.
 71. Jones JW, Antle JM, Basso B, Boote KJ, Conant RT, Foster I, Wheeler TR. Toward a new generation of agricultural system data, models, and knowledge products: State of agricultural systems science. *Agricultural Systems*. 2017;115:269-288.
 72. Mihai FC, Gündođdu S, Markley LA, Olivelli A, Khan FR, Gwinnett C, Molinos-Senante M. Plastic pollution, waste management issues, and circular economy opportunities in rural communities. *Sustainability*. 2021;14(1):20.
 73. Brussaard L, De Ruiter PC, Brown GG. Soil biodiversity for agricultural sustainability. *Agriculture, Ecosystems & Environment*. 2007;121(3):233-244.

74. Morris ML. Fertilizer use in African agriculture: Lessons learned and good practice guidelines. World Bank Publications; 2007.
75. Tiftonell P, Gérard B, Erenstein O. Tradeoffs around crop residue biomass in smallholder crop-livestock systems–What's next? *Agricultural Systems*. 2015;134:119-128.
76. Sintim HY, Bandopadhyay S, English ME, Bary AI, DeBruyn JM, Schaeffer SM, Flury M. Impacts of biodegradable plastic mulches on soil health. *Agriculture, Ecosystems & Environment*. 2019;273:36-49.
77. Shekhawat K, Rathore SS, Chauhan BS. Weed management in dry direct-seeded rice: A review on challenges and opportunities for sustainable rice production. *Agronomy*. 2020;10(9):1264.
78. Gunningham N. The new collaborative environmental governance: The localization of regulation. *Journal of Law and Society*. 2009;36(1):145-166.

© 2023 Indurthi et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/104342>